

Declaration of Performance

No. 9806/08-DoP

| | | |
|--|---|---|
| 1. Unique identification code of the product-type: | | |
| BASIS® AALBORG CEMENT® - Portland limestone cement EN 197-1:2011 - CEM II/A-LL 52,5 N | | |
| 2. Intended use / es: | | |
| Preparation of concrete, mortar, grout and other mixes for construction and for the manufacture of construction products | | |
| 3. Manufacturer: | | |
| Aalborg Portland A/S, Rørdalsvej 44, 9220 Aalborg, Denmark | | |
| 4. Authorised representative: | | |
| Not relevant | | |
| 5. System / s of AVCP: | | |
| System 1+ | | |
| 6. Harmonised standard: | | |
| EN 197-1:2011 Bureau Veritas Certification - Identification number 0615 | | |
| 7. Declared performance: | | |
| Essential characteristics | Performance | Harmonised technical specification |
| Main constituents and composition | Portland cement clinker 80-94% Limestone 6-20% Minor additional constituents 0-5% | EN 197-1:2011 |
| Compressive strength: 2 days 28 days | ≥ 20,0 MPa ≥ 52,5 MPa | |
| Initial setting time | ≥ 45 min. | |
| Soundness - Expansion - SO ₃ content | ≤ 10 mm ≤ 4,0 % | |
| Chloride content | ≤ 0,10 % | |
| | | |

8. The performance of the product identified above is in conformity with the set of declared performance / s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Aalborg, 24 September 2018

Signed for and on behalf of the manufacturer by:



Henriette Charlotte Nikolajsen, Manager Environment, Energy and QMS
Aalborg Portland A/S

